

Penile elongation and enlargement surgery

**Laser Division of the Suspensory Ligament of the penis and
insertion of pubo-cavernous spacer
(Lengthening of the penis)**

Professor Alessandro Littara

www.androweb.it

www.androweb.it/blog

www.falloplastica.net

www.circoncisione.net

www.eiaculazioneprecoce.org

androweb



“What counts more in bed, the size of the sex organ or that of the brain?” enquired a journalist a few years ago. Tongue in cheek, Sharon Stone replied: “Without a doubt brain size, even if certain sizes don’t really hurt in bed”. Is this really true? So where do men get the idea about how their penis “should” be? For some it stems from seeing their fathers penis, for others it stems from seeing their companions bodies in changing rooms, for some others it may stem from the comments of their partners and for others still from the bodies of cultural icons: the super endowed seen in videos and porn magazines, specifically recruited for their endowment. For all those who feel “inadequate” or simply wish to satisfy a purely aesthetic desire, surgery now offers the solution: the “Designer Laser Phalloplasty®”, a meeting point between creativity and surgical technology. This approach, innovative in its sector, merges the advantages of the personalization of surgical technique with the use of latest generation lasers. The surgeon therefore becomes a sort of “designer”, who “personalizes the opera” on the basis of his experience, ability and aesthetic sense, with the view to obtain the most gratifying result for him and his patient.

Introduction

Penis size has always been a topic of great appeal for man. From ancient times we have continuous examples showing the importance of the dimensions of the genital organ as a symbol of virility and command. Nowadays, more and more men turn to specialists in this sector with the aim of correcting development deficits, improving their self-esteem or simply for exclusively aesthetic reasons. Whatever the motivation is, the demand for solutions in this field is increasing continuously, stimulating surgeons towards an ever increasing perfection of techniques.

For more than 15 years Professor Littara and his team have been dedicated to aesthetic-reconstructive surgery of the penis, gaining vast experience in the sector. What continuous practice has taught us is that all individuals have different anatomies, needs and expectations, and as a result the surgical procedures must adapt to every single case and not vice versa. For this reason “Designer Laser Phalloplasty” was born, an innovative approach in this sector made up of a com-

ination of many surgical techniques to adapt to every single case, with the aim of obtaining the best aesthetic result and the greatest possible satisfaction in relation to the expectations of the patient. Such a result is also made possible thanks to the use of a laser which allows for better aesthetic results, less side effects and significantly quicker recuperation times. The surgeon therefore becomes a sort of “designer”, who personalizes the job based on his experience, ability and aesthetic sense, with the view of obtaining the most gratifying result for him and the patient.

Professor Alessandro Littara and his team

Professor Alessandro G. Littara is the founder of the Institute of Sex Laser Surgery of Milan and the creator of Designer Laser Phalloplasty (DLF®). Dr. Alessandro G. Littara, specialist surgeon, can be considered a “pioneer” of sex surgery. With training from the prestigious School of Andrology of the University of Pisa, he benefited from the teachings of some of the most expert and most qualified Italian and foreign uro-andrologic surgeons. He is a member of numerous scientific societies, among which the Italian Andrology Society (S.I.A.), the International Society for Sexual and Impotence Research (I.S.S.I.R.) and the European Society of Sexual Medicine (E.S.S.M.). He is currently a professor of the “Uro-Genital Reconstructive Surgery” course at the Urology specialisation school of the University of Pisa.

For many years he has dealt with penile functional and aesthetic surgery, with particular reference to the modification of the dimensions of the penis. He is the author of more a thousand surgical operations. The experience gained in this sector and the constant update in the most important and qualified international centres have allowed him to elaborate and bring to birth the “Personalised Male Sex Surgery”, or in other words “Designer Laser Phalloplasty”, which to date can be considered as “state of the art” in the surgical modification of the dimensions of the penis.

The surgical team of the Institute of Sex Laser Surgery, directed by Dr. Alessandro G. Littara, is made up of high level professional figures each specialized in their field and with a high number of surgical operations performed. In each operation a plastic surgeon is present, with specific responsibilities regarding the aesthetic result and the post-operative treatment of the surgical wounds. The urology and gynaecology (for surgery on the female genitalia) specialists, ensure perfect functional integrity of the genito-urinary tract besides dealing with specific issues such as urethral surgery and incontinence.

The anaesthetic team is adequately prepared to provide the necessary pre and post-operative assistance, besides their ability to utilise modern anaesthetic techniques specific to each operation performed. This task is carried out through the rigorous application of the principles of “painless surgery”, which eases both the operative and post-operative course and therefore eliminating or drastically reducing pain perception, which is always a source of anguish for the patient.

Curriculum Vitae of Professor Alessandro Littara

Born in Pisa on 15 April 1964

- .: First class honours degree in Medicine and Surgery from the University of Pisa
- .: Specialisation in “General Surgery” at the University of Studies in Pisa (Institute of General and Experimental Surgery, Cisanello Hospital, Pisa), with a thesis entitled “Surgical therapy of a varicocele: modern trends”.
- .: Specialisation in “Diagnostic ultrasound in Surgery” at the University of Pisa
- .: Specialisation as “Andrology modules Operator” at the University of Pisa
- .: Winner of the concourse to enter the “European School of Andrology and Andrological Surgery” (organised at European andrological centres for excellence by the Italian Andrology Society)
- .: Certification in LVR® (Laser Vaginal Rejuvenation) and DLV® (Designer Laser Vaginoplasty) at the Laser Vaginal Rejuvenation Centre of Los Angeles, directed by Dr. David Matlock.

- .: Contract Professor of Uro-genital Reconstructive Surgery, Pisa University
- .: Training (1991) at the Andrology Centre of the University of Pisa (Directed by Prof. G.F. Menchini Fabris), currently an external collaborator. At this centre he specialised as an Andrology Module operator and in Medical Sexology.
- .: Long collaboration with the Institute of General Surgery II – Endocrinosurgical Operative Unit (directed by Prof. P. Miccoli) at the University of Pisa, with regards to surgical practice.
- .: Practical uro-andrological surgery student of Prof. E. Belgrano (Director of the Urology Clinic of the University of Trieste) and of Prof. F. Carmignani (Director of the Urology Clinic of the University of Genoa) for more than five years, staying up to date with leading edge uro-andrological and gynaecological surgical techniques.
- .: Refresher Course at the S. Raffaele Institute of Milan in the Urology department directed by Prof. Rigatti.
- .: Head of the medical and surgical andrology-sexology unit at the Casa di Cura “Mercurio-Quisisana of Montecatini Terme (PT), where he participated in about 1000 andrologic, uro-gynaecological and general surgery operations in the position of either head surgeon or assistant surgeon.
- .: Participation as a student at the “European School of Andrology and Andrological Surgery”, organised by the Italian Andrology Society held at European centres of renowned excellence.
- .: Practices as a free-professional in, medical and surgical diagnosis and therapy of pathologies of uro-andrological, uro-gynaecological and sexological nature.
- .: Participation in the capacity of speaker at many congresses of uro-andrological and plastic-aesthetic nature (Italian Society of Andrology; European Society of Aesthetic Surgery; Italian Society of Aesthetic Medicine and many others)
- .: Strong believer in computerisation, author of the first Italian website dedicated to andrology (Pisa Centre for Andrology website), and

has provided an information service for the public on his own website (www.androweb.it) since 1996.

.: Collaborator of Radio 24 with regards to medical and surgical andrology and sexology. He collaborates with national dailies, weekly and monthly magazines of large circulation and national and regional television programs. He formulated and conducted a program devoted to sexology (“SessoOS) on a Tuscan radio station. He also participated in the program “Instruzioni per l’uso” on Radio 1 and Rai 3 conducted by Emanuela Falcetti, as a subject matter expert.

.: Founder and person in charge of “The Centre for Sexual Medicine” of Milan, where all diseases of sexual and reproductive nature, male and female are treated. He manages a multi-disciplinary team, made up of andrologists, gynaecologists and specialists in assisted reproduction, psycho-sexologists, psychiatrists, plastic surgeons and lawyers.

.: Training and licencing in female genital laser surgery at the Laser Vaginal Rejuvenation Centre of Beverly Hills, directed by Dr David Matlock, a surgeon affiliated to and licenced for DLV® (Designer Laser Vaginoplasty), LVR® (Laser Vaginal Rejuvenation) and G-Spot Amplification procedures, performed at that centre.

.: He currently practices as a free professional and sees patients in Milan, the main seat and periodically in Rome and Viareggio (LU). He also collaborates with centres specialising in infertility therapy for couples and is a contract Professor in Uro-genital Reconstructive Surgery at the University of Pisa.

.: Membership in Scientific Societies:

- Member of the Italian Society of Andrology (Società Italiana di Andrologia, S.I.A.)
- Member of the Italian Society of Andrology and Sexual Medicine (della Società Italiana di Andrologia e Medicina della Sessualità, S.I.A.M.S.)
- Advisor at the Italian Society of Sexology and Sexual Education (Società Italiana di Sessuologia ed Educazione Sessuale S.I.S.E.S.)
- Member of the Italian Society of Male Genital Surgery (Società Italiana di Chirurgia Genitale Maschile, S.I.C.G.E.M.)
- Member of the European Society of Sexual Medicine (E.S.S.M.)
- Member of the International Society for Sexual and Impotence Research

(I.S.S.I.R.)

- Member of the American Academy of Cosmetic Surgery (A.A.C.S.)
- Member of the American Academy of Phalloplasty Surgeons (A.A.P.S.)
- Advisor of the European Association of Genital Rejuvenation and Plastic and Aesthetic Surgery (Associazione Europea di Ringiovanimento e Chirurgia Plastica ed Estetica Genitale, A.R.P.L.E.G.)

Designer Laser Phalloplasty

Nowadays it is possible to increase the length and girth of the penis, individually or in association, through quick and simple surgical operations. At present, such surgical methods are standardised. To lengthen the penis, a division of the suspensory ligament is used, while the most commonly used technique for increasing the width is the use of body fat. Some surgical schools use materials foreign to the body (non-absorbable fillers, strips of pig skin, etc.), but in our opinion the frequency of complications and the poor results discourage the use of these techniques.

The standardisation of a surgical procedure enables the reproduction of the same gestures every time in order to obtain the same results always. It is a very effective and widespread practice in surgery. Nevertheless, in aesthetic surgery of the penis the results vary considerably even if the same method is rigorously adopted: evident increment in some cases, modest in others and practically none in others still. This is due to various factors, mainly represented by the anatomy of the zone which is considerably different from person to person and the experience of the surgeon.

In fact, besides the consistency of the suspensory ligament of the penis, on which the result largely depends, the thickness of the suprapubic panniculus, the lateral insertions of the penis, the diameter of the base

and apex of the penis and many others, need to be considered. Furthermore, once the suspensory ligament has been divided, a groove varying in size and form in each instance, which requires personalised treatment, is formed. Just the concept of “personalisation” is at the root of Designer Laser Phalloplasty: the surgeon becomes a sort of “designer” who, considering the variables shown above, “personalises the job on the basis of his experience, ability and aesthetic sense with the view to achieve the most gratifying result for both him and the patient.

Naturally, in order to aspire to this goal it is necessary that the surgeon have vast experience in the sector, and be endowed with a strong aesthetic sense. In this regard a surgical team with specific duties was created. The principal surgeon, Prof. Alessandro G. Littara possesses decades of experience in this field, and is assisted during surgery by a plastic surgeon with specific duties of vibroliposculpture and cutaneous plastic surgery. Furthermore the use of the latest generation surgical diode laser allows for unquestionable advantages with regards to accuracy of the divisions, reduction of surgical duration and more rapid healing of the wounds.

The term “Designer Laser Phalloplasty” indicates a combination of surgical procedures which the surgeon employs depending on the result he would like to obtain. There are men who only wish to lengthen their penis, others who desire to have a bigger penis and others still who require both corrections. In order to obtain the desired goal, the following surgical procedures are used:

- Laser division of the suspensory ligament of the penis (with the insertion of a pubo-cavernous spacer)
- Supra-pubic cutaneous laser plastic surgery using the V-Y method
- Supra-pubic vibroliposculpture
- Peno-scrotal cutaneous plastic surgery
- Combined lipo-sculpture of the penis (penis enlargement)

Laser Division of the Suspensory Ligament of the penis and insertion of pubo-cavernous spacer (Lengthening of the penis)

This surgical procedure has the purpose of increasing the length of the penis. The suspensory ligament of the penis is a deep seated structure which joins the internal parts of the penis to the pubic bone. Its division involves the “sliding” forward of the internal portion of the penis with the consequent increase in length of the external part, which is the visible part. The degree of lengthening obtainable depends to a large degree on the consistency of this suspensory ligament. There is in fact a direct proportionality relation: the more the ligament is developed, greater the results shall be in terms of increase in length. Unfortunately, it is not possible to know exactly the real consistency of each ligament prior to the operation because it is located deep within (and therefore not palpable) and is largely hidden by the pubic bone (and therefore not visible with ultrasound). Furthermore, as in other parts of the body, there is certain variability in consistency from person to person, which renders it difficult to make a forecast prior to the actual act of surgery.



Generally, the increase achievable using this single method can vary between 2 and 4 cm, visible both in a flaccid state and to a slightly lower extent, during erection. A forecast of the increase achievable can be made by sonographically measuring the most superficial part of this ligament (the only visible part), and comparing it with some statistical data at our disposal.

Technically the division of the suspensory ligament of the penis is quite easy and doesn't involve particular difficulties. It is still important to pay maximum attention particularly to the division of the deepest portion because of the close proximity to the dorsal vascular-nervous structures of the penis at this level.

For this reason we have adopted the latest generation computer controlled diode laser. A laser is a very precise cutting instrument which minimises the loss of blood and pain, it cuts and cauterizes at the same time, and abbreviates healing time. The user of the laser has spread to all levels of surgery with evident benefits in the results and recovery time after the operation significantly reduced compared to traditional techniques. At this point a description of the traditional technique calls for the layered closure of the surgical wound, and the execution of cutaneous plastic surgery.

The result, in terms of length gained, is however often only partial because of the so called "scar retraction" of the ligament itself. This process, possible in other regions of our body, means that a surgically divided structure can spontaneously "re-seal itself" (heal) on the days following the operation, this way frustrating the result obtained. Such a situation occurs, to an extent which varies individually, some days after the operation as has been proved during re-operations.

To remedy such an inconvenience the use of so called penis "extenders", which have been frequently spoken of in recent years, has been suggested. They are mechanical devices that put the penis into controlled and progressive traction. Often advertised with the mirage of results as amazing as they are unrealistic, they have proved incapable of causing significant lengthening when used apart from surgery. Their usefulness has, however, been demonstrated when used in post-surgery with the aim of preventing scar retraction. Nevertheless, they cannot be worn in the days immediately after the operation because of the presence of the surgical scar and this limits their efficacy (they can be used after at least 30 days). This therefore imposes the use of a structure that acts as a "spacer" between the two parts of the divided ligament.

We currently use a soft silicone spacer (very safe material which has been used in plastic surgery for decades) which is cut from a bigger sheet and is modelled in order to fit perfectly into the space created after the division of the suspensory ligament. Each operation is therefore "personalised". The spacer is then attached to the periosteum of the pubic bone. Numerous sonographic and radiological investigations (RMI) have proven that the correct positioning of the silicone does not interfere in any way with the function for which the penis is meant. In other words, there will not be any modification of erection, orgasm, ejaculation, urination, etc. What more the spacer is situated deep inside and is therefore not palpable nor is it visible. Lastly, it never has to be removed even though this is technically possible.

This technique has made it possible to render the result achieved evident and long lasting. The insertion of the pubo-cavernous spacer, therefore, despite not being "obligatory" (leading to the term "possible"), is strongly recommended. The accentuation of the pubo-penile angle, with the lowering of the penis, described by some authors, in our experience results to be of negligible relevance. This procedure has a technical timeframe of about an hour, and is performed under general or epidural anaesthetic, depending on the association of other methods of Designer Phalloplasty. Discharge, as in any form of procedure used, even in combination, is always on the same day.

Supra-pubic Vibro-Liposculpture

In people who present an abundant and evident supra-pubic adipose panniculus, the pubic skin can surpass the cutaneous insertion of the penis resulting in the impression of an organ that is visually shorter than what it really is. This condition can be present not only in overweight subjects ("sunken penis" or in more extreme cases "buried penis"), but also in normal-weight or even underweight individuals, and is caused by individual characteristics of the zones of adipose accumulation.

In such cases the procedure of choice consists in “supra-pubic vibro-liposculpture”, a surgical procedure consisting in the aspiration of pubic fat through thin aspiration cannulas, with vibrations that enable the melting then the aspiration of the excess fat. The vibratory method is rendered necessary because masculine adipose tissue is more consistent than feminine adipose tissue which is treatable using classic lipo-sculpture.

This process enables the flattening of the supra-pubic region resulting in a visual increment of the length of the penis, which in reality is not directly involved in the operation. It is performed under local, epidural or general anaesthetic depending on whether it is performed singularly or in association with other designer Phalloplasty methods.

Technically, two millimetre skin incisions are made and through these a thin cannula is inserted, vibrating it first dissolves and then successively sucks the excess fat. The duration of the procedure depends on the quantity of fat to be removed with an average time of about 40 minutes. At the end a compressive bandage is applied which is worn without difficulty for about 20 days. Discharge occurs on the same day, both for the single and combined procedures.

Supra-pubic Cutaneous Laser Plastic Surgery

This method of plastic surgery is performed at the end of the laser division of suspensory ligament of the penis, in order to permit a contextual lengthening of the skin which covers the male organ, which would otherwise be shorter.

It technically consists in performing a V-Y plasty, or in other words an incision which initially has the form of an inverted V and then becomes an inverted Y at the end of the operation. The use of a diode laser results in greater precision of the incision, less bleeding and reduced tissue stress and hence accelerates the healing of the wound. At the end an aesthetic suture with absorbable stitches which will spontaneously fall off 15-20 days after the operation is applied.

Peno-Scrotal Cutaneous Laser Plastic Surgery

In some cases the insertion point of the scrotum skin with that of the penis is situated along the shaft of the penis itself, instead of at the base as normal. This anatomic condition causes a “bat wing” appearance of the skin on the rear part of the penis which practically translates into an imperfection which visually reduces the total length of the penis.

In order to correct this condition we utilise a laser diode to perform peno-scrotal cutaneous plastic surgery using the “Z” method, which is then closed with an aesthetic suture made of a material which is absorbed 15-20 days later. This method can be performed alone or more often within the context of Designer Laser Phalloplasty and it yields very evident and satisfying aesthetic results.

Painless Surgery

All the “**Designer Laser Phalloplasty**” surgical procedures, even when used contemporaneously, **provide for discharge on the same day as surgery.**

The form of anaesthesia used is discussed in advance with the anaesthesiology team, who will consider the duration of the operation, the characteristics of the patient, the results of blood and instrumental tests required and last but not least the preferences of the patient himself.

The anaesthesiology team is adequately trained to provide the necessary pre and post- surgical assistance and is capable of using every modern anaesthesiology technique specific for each operation performed. This task is performed through the application of rigorous principles of “**painless surgery**”, which allows the patient to serenely endure the wait, the surgical part and the postoperative course, drastically eliminating or reducing the perception of pain, which is always a typical source of anguish.

One of the main causes of worry for a person who has to undergo surgery has always been the presence of pain, both during and at the end of the operation and in the days that follow. In fact any surgical procedure in any part of the body puts a series of chemical reactions into action which produce the sensation identifiable in pain. All the more in the field of sexual surgery which by definition acts on parts of the body which are particularly sensitive and therefore able to cause pain symptoms.

To remedy or at least decidedly limit this phenomenon we have put in place a specific series of steps with the collaboration of our anaesthesiology team. Drugs are in fact prescribed well before the operation, and are assumed in a way that is well explained to the patient. The anaesthesia technique for the operation is first explained and then performed in order to avoid any form of perceptible pain. After the operation a specific cocktail of drugs which considerably reduces and often cancels the presence of pain is administered. Upon discharge after a check-up and the possible dressing of the surgical wound, a specific drug therapy to

prevent infective and inflammatory events is prescribed. Moreover, in the two days following the operation a specific analgesic drug, that is, against post-operative pain, is prescribed. In this way actual pain prevention is performed which has the aim of allowing the patient to return to their habitual occupation quickly.

Before the operation

Sex surgery operations are not different from operations performed in other parts of the body and therefore do not require special attention. Nevertheless:

- On the evening prior to the operation it is best to eat a diet of easily digestible food in a small quantity, to be eaten by and not after midnight;
- Any medicines should be suspended or used according to the instructions given by our anaesthesiology team;
- Perform a trichotomy, or in other words shave the regions involved with creams suitable for sensitive areas which are easily found in pharmacies. The pharmacist will recommend the best one. Should this create too much discomfort, the trichotomy will be performed on the morning of the operation by our nursing staff;
- Check that all the documents requested (blood tests, electrocardiogram, identity document, tax number etc...) are present and available;
- Have a shower including a careful genital wash using intimate hygiene products;
- If you suffer from constipation use an enema for adults to evacuate and therefore minimise discomfort on the following day;
- Jot down all questions, even those which seem so trivial which come to mind and that will be directed to the surgeon and/or the anaesthesiologist. Remember that it is better to ask twice than to remain in doubt and you must face the operation without any doubts, knowingly informed of every step;

- Have a lot of trust and sleep peacefully!

Advice for a good post-operative course

Hospital time and convalescence after sexual surgery varies from person to person and obviously depends of the type of procedure chosen and the possible realisation of combined operations. Besides the procedure, there will be physical and emotional aspects to consider during the post-operative course. It is important to remember not to rush the healing process. **Here are some useful suggestions for a good post-operative course:**

- To reduce swelling of the penis and the supra-pubic region after penile lengthening laser surgery it is helpful to apply ice, which should be placed above the dressing. It is sufficient to use it in the first two days after the operation.
- Organise your post-operative course. Depending on the type of operation and your biological variability, the recuperation time can vary from just one to 5 or 6 days. Remember that this influences work, the family and social events.
- Be realistic in your expectations. Before reaching the final result there shall be a period where you will see yourself worse. This regards all surgical operations, especially those performed in very sensitive areas, such as the genitals. Bandages, patches, swelling and bruises are normal after surgery. Even if Avant-guard techniques are used there will still be a period where the appearance will not be the "best". Have no fear! The healing process will gradually reveal the results of the operation. If you have any doubts about something in particular, do not hesitate to contact the surgeon;
- Always follow the instructions given by the surgeon. Whether it's taking a prescribed medicine or in order to recommence physical activity or the instructions for the care and hygiene of the scar, follow the instructions given by the surgeon and should there be any doubts contact us on the number given at the time of your discharge;
- Organise yourself in such a way that you do not have any important commitments immediately after the operation;
- Take all the time you need for recovery without forcing the situation. Excessi-

ve haste can for example lead to opening of the surgical wound, an event which will necessitate dressing of the wound and more patience for healing;

- Rehydrate the body often. After surgery it is possible that there are fewer liquids in the body. Drinking water frequently during the post-operative period helps to rehydrate the tissues;
- Maintain a light diet which is easily digestible;
- Scrupulously observe the given time before recommencing sexual intercourse, even if you may feel well and without problems. Remember that each suggestion derive from the sum of results obtained from thousands of operations and has been optimised on the basis of experience. In due time, recommence intercourse gradually, avoiding aggressive behaviour and lubricating the genital organs if needed, at least during the initial period;
- Do not take any anti-inflammatory drugs or aspirin without the consent of the surgeon. These increase the risk of bleeding and can interact with other drugs prescribed for surgery. It is fundamental that the surgical team is aware of the medicines that you take.

Our Institution

Specialist appointments, surgical operations and post-operative assessments are performed at the Institute of Sexual Laser-surgery of Milan, at Viale Vittorio Veneto, 14 (in the area of Piazza della Repubblica – Central Railway Station).

Our institution was set up in 2006 for a specific aim: to guarantee the most absolute privacy and to personally handle the patient in every phase of his stay in our centre. In fact check-ups and surgery of the intimate regions of our body particularly involve our emotive sphere and need privacy and assistance different from that which can be given in a big Nursing Home furnished with many hospital beds and a continuous turnover of patients and personnel.

The Institute is composed of a day surgical unit, where male and female sex design operations are performed. The operating theatre is authorised to perform operations under general anaesthetic. The surgical block is perfectly kitted and furnished with beds for post-operative monitoring.

Besides all the andrological, urological, gynaecological and general surgery, procedures of plastic and aesthetic surgery, vascular surgery, dermatology are performed and there are specialists available for any problem of a medical, aesthetic and psychological nature.

Access for the handicapped is guaranteed by structural and architectural solutions. The reception service is located at the entrance in order to guarantee orientation of the users of the centre and to simplify registration activities.

The surgical unit and the hospital area are furnished with all the structural requisites necessary to guarantee safety and good performance outcomes: the theatre block is fitted with micro- air conditioning which guarantees 99,97% filtration of the air and optimal humidity and temperatures. The theatre, patient preparation rooms and the hospital rooms are furnished with multiple oxygen and compressed air points.

The operating theatre guarantees adequate monitoring of the vital functions with the aid of vital signs monitors; there are also automatic ventilators for anaesthesia and possible emergencies. The supply of medical gases is guaranteed by a double ramp centralised plant fitted with and alarm system for the consumption of the gases. The entire structure was designed to guarantee maximum comfort levels and most rigorous respect of personal privacy.

After discharge

Our operations, except in special cases, are all in day-hospital and therefore discharge occurs on the same day. For all our patients who come from out of Milan, who are the majority, it would be rather uncomfortable, other than being not advisable, to undertake a long trip on the same day of the operation.

For this reason, our Institute offers the option of booking single or double rooms in good quality hotels close by, in order to rest and then undertake the return journey on the following day after after undergoing a check-up at the surgical unit.

It is possible to obtain a **hotel booking service** through the Institutes secretary. Get all the information from our secretary Tania, who aside being extraordinarily efficient is also exquisitely polite!



NH Milano Touring
phone number
+39.0263351



Eurohotels
phone number
+39.0229400674



Hotel Amadeus
phone number
+39.026692141

Financing

The total cost of genital aesthetic-plastic surgery is made up of the sum of a series of items which comprise of the surgical fee, the assistance and assistants, cost of the anesthesia service, materials used and extras, the cost of the operating theater and hospitalization in the surgical unit. All these items have a cost and if we want to operate in a center that safeguards security and sterility we have to consider them.

For this reason it is counter-productive to call on surgical services with impossibly low and out of market prices because the savings obtained will detrimentally affect elements which are indispensable for safety – not to mention the experience of the surgeon and other fundamental elements.

It is therefore preferable to go to **certified and accredited structures**, which have operated for years in the sector and are equipped with all the necessary know-how to safeguard every aspect of the operation, from sterility in the operating theater to nursing staff, thanks to which the experience of the surgeon and his team will allow for the best results in absolute safety.

Gradually facing the expense is now possible in our center thanks to the help of a financier who has operated for many years in the sector, reliably and safely. In fact, thanks to Prestitempo, it will be possible to **divide the payments into comfortable monthly installments** commensurate to individual needs up to a maximum of 48 (forty eight) months

Some Photos of the Operation



Photo Gallery of Operations:

www.falloplastica.net/fp/content/galleria-fotografica.asp?layout=11

Institution Address:


Istituto di Laser-Chirurgia Sessuale

c/o Blumar Medica

viale Vittorio Veneto, 14

20124 Milan (Italy)

phone number: +39.02.29412460



Web:

www.androweb.it

www.androweb.it/blog

www.falloplastica.net

www.circoncisione.net

www.eiaculazioneprecoce.org